UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/665,809	09/19/2003	Sridhar Kumar	010327-007810US	6629

20350   7590   10/10/2008
TOWNSEND AND TOWNSEND AND CREW, LLP
TWO EMBARCADERO CENTER
EIGHTH FLOOR
SAN FRANCISCO, CA 94111-3834

EXAMINER
HOANG, HIEU T

ART UNIT	PAPER NUMBER
2452	

MAIL DATE	DELIVERY MODE
10/10/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE *3* MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *05 September 2008*.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-4, 6, 8-14 and 16-17*   is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-4,6,8-14,16 and 17* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

    1.☐ Certified copies of the priority documents have been received.

    2.☐ Certified copies of the priority documents have been received in Application No. _____.

    3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)
2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.
5)☐ Notice of Informal Patent Application
6)☐ Other: _____.

DETAILED ACTION

1.   This office action is in response to the amendment filed on 09/05/2008.

2.   Claims 1-4, 6, 8-14 and 16-17 are pending.

Response to Arguments

3.   Applicant's arguments have been fully considered but they moot in view of new

ground(s) of rejection.

Claim Rejections - 35 USC § 112

4.   The following is a quotation of the second paragraph of 35 U.S.C. 112:

> The specification shall conclude with one or more claims particularly pointing out and distinctly
> claiming the subject matter which the applicant regards as his invention.

5.   Claims 12-14, 16 are rejected under 35 U.S.C. 112, second paragraph, as being

indefinite for failing to particularly point out and distinctly claim the subject matter which

applicant regards as the invention. Consider independent claim 12, the claim recites

"routing the data between data processors of the first logical node" on line 13 and "a first

set of one or more data processors...for a first logical node" no lines 4-5. If the first

logical node consists of only one data processor, it is vague how "routing the data

between data processors of the first logical node" can be done. Same rationale applies

to the second logical node. Furthermore, claim 12 recites "routing paths" for routing

paths within the first logical node as well as the second logical node (lines 8-11), and

"the data" for both data for a first service provider and second service provider (lines 12-

19). It is believed that the routing paths within the first logical node and the second

logical node are distinct and the data for a first service provider and second service

provider are distinct. Correction is required.

6.   Claims 6, 8-11 are rejected for the same rationale as in claim 12, regarding "a

first set of one or more data processors". Reciting of "the first set of data processors"

and "the first set of one or more data processors" must be consistent in the claim.

Claim Rejections - 35 USC § 103

7.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as
> set forth in section 102 of this title, if the differences between the subject matter sought to be
> patented and the prior art are such that the subject matter as a whole would have been obvious
> at the time the invention was made to a person having ordinary skill in the art to which said
> subject matter pertains. Patentability shall not be negatived by the manner in which the invention
> was made.

8.   Claims 12, 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Quiles et al. (US 7,065,072, hereafter Quiles), in view of Nair et al. (US 2002/0103921,

hereafter Nair).

9.   For claim 12, Quiles discloses a method for routing packet data over a

communication network using a telecommunications device that includes a plurality of

data processors, the method comprising:

-      configuring a first set of one or more data processors in the plurality of data

    processors for a first logical node in the telecommunications device; configuring a

second set of one or more data processors in the plurality of data processors for

a second logical node in the telecommunications device (fig. 2, each line card is

a data processor connected to a slot, col. 4 lines 37-67, line cards belonging to a

provider is a logical node, there are 3 logical nodes for 3 providers);

- managing routing paths for the first logical node with a first control processor

  distinct from the first set of data processors; managing routing paths for the

  second logical node with a second control processor distinct from the second set

  of data processors (col. 4 lines 39-45 and 58-67, network interface cards route

  data for each service provider via line cards according to data paths)

- receiving data associated with the first logical node; receiving data associated

  with the second logical node (col. 4 lines 39-45 and 58-67, network interface

  cards receive data associated with each service provider);

Quiles does not explicitly disclose:

- routing the data between data processors of the first logical node according to a

  first mapping of the first control processor;

- routing the data between data processors of the second logical node according

  to a second mapping of the second control processor.

However, in the same field of endeavor, Nair discloses using distinct distributed service

routers (DSRs) (read as control processors) for routing data within a service carrier's

line cards (read as a logical node) ([0028]-[0032], DSR switching packets to and from

ports under its control, DSR and a few line cards associated with a carrier or service

provider)

It would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles and Nair to route data among ports (or customer modems) within a provider's network so that customers can communicate with each other.

10.   For claim 16, Quiles-Nair further discloses the first control processor manages data routing paths for the first network service provider and the second control processor manages data routing paths for the second network service provider (Quiles, col. 4 lines 39-45 and 58-67, network interface cards are control processors for routing data for each service provider via line cards associated with that provider according to data paths, Nair, [0032], carriers with DSRs).

11.   Claims 1-3, 6, 8, 11, 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Quiles et al. (US 7,065,072, hereafter Quiles), in view of Nair, and Chiu et al. (US 6,597,689, hereafter Chiu).

12.   For claim 1, Quiles discloses a telecommunications device for processing packet data received over a communications network, wherein the device includes a plurality of data processors (fig. 2, a lines card (such as items 70, 72) is read as a data processor), the device comprising:

        a plurality of control processors (fig. 2, a network interface cards NIC 66 and 68), each control processor configured to manage data routing paths for data processors in

the plurality of data processors (col. 4 lines 37-44, a NIC routes data to a line card or a

processor); and

a plurality of logical nodes, wherein each logical node includes one or more data

processors in the telecommunications device and is associated with a control processor

in the plurality of control processor (col. 4, lines 58-67, a logical node is a plurality of line

cards associated with a service provider, controlled by a NIC or control processor), such

that each control processor is coupled to a first data processor of its associated logical

node (fig. 2, col. 4, lines 58-67, [0032], interface 86 coupled to line card 70 or 72 of Bell

logical node)

wherein each logical node is associated with a distinct network service provider

(col. 4, lines 58-67, a logical node is a plurality of line cards associated with a service

provider) and routes data for the network service provider routes data using the one or

more data processors included in the logical node according to the data routing paths

(col. 4 lines 37-45 and 57-67, NIC routes data for line cards associated with an ISP

according to data paths).

Quiles does not explicitly disclose routing data paths between data processors;

However, in the same field of endeavor, Nair discloses using distinct distributed

service routers (DSRs) (read as control processors) for routing data within a service

carrier's line cards (read as a logical node) ([0028]-[0032], DSR switching packets to

and from ports under its control, DSR and a few line cards associated with a carrier or

service provider)

It would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles and Nair to route data among ports (or customer modems) within a provider's network so that customers can communicate with each other.

Quiles-Nair does not disclose the routing is according to the corresponding physical locations of the data processors in the telecommunications device,

And each control processor manages data routing paths for the logical node in relation to said first data processor.

However, Chiu discloses the routing is according to the corresponding physical locations of the data processors in the telecommunications device (fig. 3 and 5, switch card routes data for line cards according to line card slot number in a chassis, col. 26 lines 27-56, routing according to line card number).

Therefore, it would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles, Nair and Chiu to efficiently route data according to physical location of line cards in a logical node of data processors.

13.   For claim 6, Quiles discloses a telecommunications shelf for sending packet data to destination on a communications network including a plurality of slots configured to connect to data processors, the shelf comprising:

- a first logical shelf including a first set of one or more data processors, wherein each data processor in the first set is connected to a first set of one or more slots in the plurality of slots; and a second logical shelf including a second set of one

or more data processors, wherein each data processor in the second set is
connected to a second set of one or more slots in the plurality of slots (fig. 2,
each line card is a data processor connected to a slot, col. 4 lines 37-67, line
cards belonging to a provider is a logical shelf, there are 3 logical shelves for 3
providers),

- a first control processor separate from the first set of data processors configured
  to manage data routing paths for data processors of the first set; and a second
  control processor separate from the second set of data processors configured to
  manage data routing paths for data processors of the second set (col. 4 lines 39-
  45 and 58-67, network interface cards route data via line cards associated with
  each service provider according to data paths)

- wherein the first logical shelf is associated with a first network service provider
  that transfers data using the first set of one or more data processors and the
  second logical shelf is associated with a second network service provider that
  transfers data using the second set of one or more data processors (fig. 2, each
  line card is a data processor connected to a slot, col. 4 lines 37-67, line cards
  belonging to a provider is a logical shelf, there are 3 logical shelf for 3 providers).

  Quiles does not explicitly disclose data routing paths are between data

processors;

However, in the same field of endeavor, Nair discloses using distinct distributed

service routers (DSRs) (read as control processors) for routing data within a service

carrier's line cards (read as a logical node) ([0028]-[0032], DSR switching packets to

and from ports under its control, DSR and a few line cards associated with a carrier or service provider)

It would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles and Nair to route data among ports (or customer modems) within a provider's network so that customers can communicate with each other.

Quiles-Nair does not disclose the routing is according to the corresponding physical locations of the data processors in the corresponding logical shelf.

However, Chiu discloses the routing is according to the corresponding physical locations of the data processors in the telecommunications device (fig. 3 and 5, switch card routes data for line cards according to line card slot number in a chassis, col. 26 lines 27-35, routing according to line card number).

Therefore, it would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles, Nair and Chiu to route data according to physical location of line cards in a chassis to simplify system design and implementation.

14.   For claim 2, the claim is rejected for the same rationale as in claim 1. Quiles-Nair-Chiu further discloses a power source configured to power the plurality of logical nodes (Chiu, fig. 3, power supply).

15.   For claim 3, the claim is rejected for the same rationale as in claim 1. Quiles-

Nair-Chiu further discloses a plurality of physical slots, wherein each of the plurality of

data processors is coupled to a physical slot in the plurality of physical slots (Chiu, fig.

3, numbered physical slots with a line card in each).

16.   For claim 8, the claim is rejected for the same rationale as in claim 6. Quiles-

Nair-Chiu further discloses the first control processor is configured to manage data

routing paths for the first entity and the second control processor is configured to

manage data routing paths for the second entity (Quiles, col. 4 lines 39-45 and 58-67,

network interface cards are control processors for routing data for each service provider

via line cards associated with that provider)

17.   For claim 11, the claim is rejected for the same rationale as in claim 6. Quiles-

Nair-Chiu further discloses comprising a power source configured to provide power to

the first and second set of one or more data planes in the first and second logical

shelves (Chiu, fig. 3, power supply).

18.   For claim 17, the claim is rejected for the same rationale as in claim 1. Quiles-

Nair-Chiu further discloses the packet data is formatted according to the OC3, OC12,

OC148, Ethernet, or Gigabit Ethernet protocols (Chiu, fig. 5, OC3, T3, E3)

19.   Claims 4, 9, 10, 13, 14 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Quiles-Nair-Chiu and further in view of Van Doren (US

2001/0037435).

20.   For claim 4, the claim is rejected for the same rationale as in claim 3. Quiles-

Nair-Chiu does not disclose a data path from a first physical slot location to a second

physical slot location in the device is mapped to a third physical slot location to a fourth

physical slot location.

        However, Van Doren discloses the same (fig. 5, [0007], [0011], [0013], a

multiprocessor system that has common address space for multiple partitions or logical

nodes, each comprising processors; routing messages are associated with a routing

context which is looked up in a routing table to determine which physical location the

corresponding processor can be found)

        Therefore, it would have been obvious for one skilled in the art at the time of the

invention to combine the teachings of Quiles, Nair, Chiu and Van Doren to provide an

efficient means for flexible configuration and partitioning in a computing system (Van

Doren, [0010])

21.   For claim 9, the claim is rejected for the same rationale as in claim 6. Quiles-

Nair-Chiu does not disclose the first control processor is configured to map data routing

paths based on a physical location of the data processors in the first set of data

processors.

Van Doren discloses the first control processor is configured to map data routing

paths based on a physical location of the data processors in the first set of data

processors (Van Doren, [0047], an address mapping technique that uses logical ID of a

logical partition QBB to translate starting address to physical location of a certain

processor).

Therefore, it would have been obvious for one skilled in the art at the time of the

invention to combine the teachings of Quiles, Nair, Chiu and Van Doren to provide an

efficient means for flexible configuration and partitioning in a computing system (Van

Doren, [0010])

22.   For claim 10, the claim is rejected for the same rationale as in claim 9.

23.   For claim 13, the claim is rejected for the same rationale as in claim 12. Quiles-

Nair does not explicitly discloses receiving data associated with the first entity

comprises receiving data for a first routing data path from a first location to a second

location in the telecommunications device, and further comprising determining a third

and fourth location in the telecommunications device in which to route the received

data, wherein routing the data comprises routing the data from a data processor in the

third location to a data processor in the fourth location, the third and fourth data

processors included in the first set of data processors

However, Chiu discloses multiple data processors in form of a slot array of line

cards, each associated with a physical location (fig. 3).

It would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles, Nair and Chiu to physically address or locate a data processor based on a slot array.

Van Doren discloses an address mapping technique that uses logical ID of a logical partition QBB to translate address to physical location of a processor, for instance, mapping the first entity's first location to the third location and the first entity's second location to the fourth location, wherein the third and fourth locations are in one logical partition specifically for that entity (fig. 5, [0007], [0011], [0013], [0047]).

It would have been obvious for one skilled in the art at the time of the invention to combine the teachings of Quiles, Nair, Chiu and Van Doren to provide an efficient means for flexible configuration and partitioning in a computing system (Van Doren, [0010])

24.   For claim 14, the claim is rejected for the same rationale as in claim 13.

Conclusion

25.   The prior art made of record and not relied upon is considered pertinent to applicant's disclosure and is disclosed in form PTO 392.

26.   Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37

CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

27.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Hieu T. Hoang whose telephone number is 571-270-

1253. The examiner can normally be reached on Monday-Thursday, 8 a.m.-5 p.m.,

EST.

        If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Bunjob Jaroenchonwanit can be reached on 571-272-3913. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HH

/Kenny S Lin/

Primary Examiner, Art Unit 2452